
THE BOOK OF PARQUET



SCHEUCHER®



Every tree that grows in our forests, every trunk, every piece of wood, and therefore every parquet tells a story and is as individual as us - it has its own unique fingerprint. This individuality and uniqueness of the material means that our work is always exciting and varied. It is my - our - passion to produce parquet flooring for your home from a naturally grown tree. I would like to invite you to immerse yourself in a history full of structure, refinement and technology.

Discover the many facets of parquet. Different specifications have led to the creation of new optics and haptics. Live more colourfully. Live more individually.

KR Ing. Karl Scheucher

AS INDIVIDUAL AS YOU.

Over
200 employees

4 generations of passion

2016 **MULTI**flor
NOVOLOC® 5G

2002 **NOVOLOC**®

1996
Start of parquet production

1920 Establishment of
the company

20 years of parquet

2006 **BILA**flor®

2014 Elevation line

100 years of tradition



CONTENT

FLO_R SYSTEMS	06-07
WOOD TYPES & GRADES	08-09
COLOURS.....	10-11
FINISHES & STRUCTURES.....	12-13
INSTALLATION OF 3-WIDTHS ..	14-15
ELEVATION	16-23
WOODFLOR NOVOLOC® 5G	24-45
MULTIFLOR NOVOLOC® 5G	46-65
MULTIFLOR T + G	66-73
BILAFLO®	74-87
SPORT HALL FLOORS.....	88-89
CARE INSTRUCTIONS SEDA	90-91
CARE INSTRUCTIONS FOR PROFESSIONALS SEDA	92-93
CARE INSTRUCTIONS TENSEO	93
ACCESSORIES	94-95
STAIRBOX	96-97

WOOD TELLS
STORIES FROM
ITS LIFE. FOR
YOUR LIFE.
PARQUET FOR
YOUR HOME.



Different construction types and finishes. More technology. More individuality. A special range for your home. Perfectly matched. A pure feeling of home. A real feeling for living.

FLOOR SYSTEMS



WOODflor NOVOLOC® 5G



The **WOODflor** 3-layer parquet is the classic from Scheucher. Due to its construction, it can also be installed floating.

Page 24-45



MULTIflor NOVOLOC® 5G



The **MULTIflor** 2-layer parquet is the most recent innovation of Scheucher parquet creations and includes 1-strips, 3-strips and chevron flooring. The world exclusive chevron flooring can be installed using NOVOLOC® 5G interlocking system. It's also ideally suited for underfloor heating.

Page 46-65



MULTIflor TONGUE+GROOVE



With **MULTIflor TONGUE + GROOVE** 2-layer-parquet you can now give an even more individual touch to your living space. Unique design at classic and timeless pattern laying.

Page 66-73



BILAflor®



The **BILAflor**® 2-layer parquet – combines the advantages of a glue-down parquet with those of engineered parquet.

Page 74-87

WOODTYPES

OAK
OAK SMOKED
OAK SMOKED MEDIUM
OAK STEAMED
OLD OAK

BLACK WALNUT
HARD MAPLE
ASH
BEECH STEAMED

BLACK CHERRY
CHERRY EUROPEAN STEAMED
IROKO (KAMBALA)
MERBAU
RED OAK

Different types of wood mean that we have something to suit every taste and personal style. From light maple parquet to dark, smoked oak wood. Individual nuances make individual living dreams come true.

TYPES LIVE.

Grown in quiet in the forest.
As individual as nature.
As individual as you.

SELECT. Haven of peace. Uniform and subtle in terms of colour and growth, this sort is a convincing choice. Small knot points are possible and enliven the overall look.

NATUR. CLASSIC. Pure nature. A natural growth in combination with natural colour variations and small, visible knots.

KNOTTY. Joie de vivre. Splinter free, natural, and thanks to the many visible knots, this sort ensures tangible joie de vivre.

COUNTRY.* RUSTIKAL. STRUKTUR. EFFECT.

Powerful moments. Vibrant, lively and powerful colour nuances, as well as possible knots create a new spirited feeling in the home.




GRADES

SELECT
NATUR
CLASSIC
KNOTTY
COUNTRY*
RUSTIKAL
STRUKTUR
EFFECT

* available in 1-strip oak, sap free

Nature puts on a show. Exciting colours.
Bold textures. Spirited styling. Sustainable.
Lasting. Durable. Green.

TYPES OF WOOD.





NATURA
all wood types



PERLA
Ash | Oak | Oak smoked
Oak smoked medium
Black walnut



BIANCA
Ash | Oak



SILVA
Ash | Oak | Black walnut



JURA
Old oak



AKZENT
Oak

TREND COLLECTION

ELEVATION

Trend colours. Trend parquet.
The Elevation range surprises with
modern colours and careful refinements.
Discover the complete range on
page 18-23

PLAY OF COLOURS.

Colours play in the space. Colours
laugh out loud in various nuances.
Colours are brought to life by their
variety. A limitless spectrum.



MULTI for 2200 | ELEVATION HVAR | OAK
NOVOLOC® 5G

COLOURS

- NATURA
- PERLA
- BIANCA
- SILVA
- JURA
- AKZENT

Scheucher takes selected types of woods and gently treats them with high-quality colours, in order to give the starting material the perfect colour finish in line with the customer's wishes. Discover the colour variants listed for each type of wood, which will allow you to create a refined living area far

from the mainstream, and experience the amazing diversity on offer, with a range of hundreds of colour and wood combinations available.



REFINED SURFACES.

Dynamic structures are created. Satin elegance or shining sophistication.

FINISHED

SEDA natural matt, oiled and waxed
 TENSEO CLASSICO satin glossy, sealed
 TENSEO MATT natural matt, sealed



SEDA Your parquet is treated with natural oils and waxes according to century-old traditions to retain its original lustre. These floors are particularly beautiful with their silky matt surface with natural texture and intensive wood color. Open-pore surface finishes with breathable materials mean you are guaranteed a healthier interior climate and your home is enhanced by this touch of nature.

TENSEO This high-quality up to 7 layers consisting sealing system ensures your wooden flooring retains its natural appearance and gives a special flair to any room. The beautifully silky sheen gives the wood an exclusive look while at the same time making it resistant to damage and thereby considerably extending the life of your parquet flooring.

Selected types of parquet can be obtained from Scheucher with extraordinary surface structures. This creates a tangible and visible pattern, with an incomparable feel, making the parquet floor appear three-dimensional.

STRUCTURE

VALLETTA natural
 VALSEGA characterful
 TOSKANA exceptional

MOVING STRUCTURES.

Preserved natural character. Noticeably characteristic surfaces. Experience them just as they are. Feel the differences. See the differences.



VALLETTA lends parquet flooring a natural character and subtle roughness, as it is brushed and has a bevel.



VALSEGA ensures a characterful and striking surface impression. Here, the parquet surface is band-sawn and brushed.



TOSKANA gives you an exceptionally antique sense of touch as well as an incomparably pleasant feel of walking thanks to its slightly waved surface.

2-SIDED AND 4-SIDED BEVEL

For all types of wood: With the product-specific 4-sided bevel surface structure, the designated parquet elements are given bevelled edges on all four sides, which allows the structure of the individual elements in the overall arrangement to stand out pleasantly. With the 2-sided bevel surface structure, the bevelled edges are only on the two longitudinal sides.

222

182

140

Combining different widths is the latest trend in parquet flooring. Scheucher presents you 1-strip products in three perfectly-aligned widths that make stylish parquet flooring creations possible.

3 WIDTHS FOR 1-STRIP



MY HOME. MY ISLAND.

ELEVATION

Everyone of us keeps the precious memories of his island deeply in his soul. Even years later, when most of them already seem forgotten, these marvellous impressions still can be retrieved. Scheucher recreates the sense of life and the uniqueness of 19 European islands, to liven up these associations and special moments underneath your feet every day.





KORSIKA
WOODflor 182
MULTIflor 2200 | 2400



SYLT
WOODflor 140 | 182 | 222
MULTIflor 2200 | 2400



KORFU
WOODflor 140 | 182 | 222



OTAVA
WOODflor 182
MULTIflor 2200 | 2400



TENERIFFA
WOODflor 182



MANDØ
WOODflor 182
MULTIflor 2200



LOŠINJ
WOODflor 182



LANZAROTE
WOODflor 182 | 222
MULTIflor 2200



FORMENTERA
WOODflor 182



ELBA
WOODflor 140 | 182 | 222
MULTIflor 2200 | 2400



IBIZA
WOODflor 140 | 182 | 222
MULTIflor 2200 | 2400



KRETA
WOODflor 140 | 182 | 222
MULTIflor 2200



GOMERA
WOODflor 182
MULTIflor 2200



HVAR
WOODflor 182
MULTIflor 2200



UFENAU
WOODflor 140 | 182 | 222



BRAC
WOODflor 182
MULTIflor 2200 | 2400



NAXOS
WOODflor 182
MULTIflor 2200



RÜGEN
WOODflor 140 | 182 | 222
MULTIflor 2200 | 2400

Elevation



SYLT
WOODfor 182 3-strip



MURANO
WOODfor 182 3-strip

Elevation

20

ELEVATION






SYLT
MULTIflor 1200 | 1800



OTAVA
MULTIflor 1200 | 1800



MANDØ
MULTIflor 1200 | 1800



LANZAROTE
MULTIflor 1200 | 1800



BRAČ
MULTIflor 1200 | 1800



RÜGEN
MULTIflor 1200 | 1800



MULTIflor 1800 | ELEVATION RÜGEN | OAK
NOVOLOC® 5G



OTAVA
MULTIflor 740 45° | 500 60°



MANDØ
MULTIflor 740 45° | 500 60°



LANZAROTE
MULTIflor 745 45° | 500 60°



BRAČ
MULTIflor 740 45° | 500 60°



RÜGEN
MULTIflor 740 45° | 500 60°




MULTIflor 740 45 | ELEVATION LANZAROTE | OAK
NOVOLOC® 5G




MORE WOOD. MORE FLO_R.

WOODflor
NOVOLOC® 5G

STRONG TYPES.



WOODflor NOVOLOC® 5G 222 | 14 x 222 x 2200 mm | 6 pieces/pack = 2.930 m², 32 packs/pallet = 93.773 m²
Suitable for underfloor heating. **R_f** = 0.101 m²K/W



WOODflor NOVOLOC® 5G 182 | 14 x 182 x 2200 mm | 6 pieces/pack = 2.402 m², 40 packs/pallet = 96.080 m²
Suitable for underfloor heating. **R_f** = 0.101 m²K/W



WOODflor NOVOLOC® 5G 140 | 14 x 140 x 2200 mm | 6 pieces/pack = 1.848 m², 56 packs/pallet = 103.488 m²
Suitable for underfloor heating. **R_f** = 0.101 m²K/W



WOODflor NOVOLOC® 5G 182 3-strip | 14 x 182 x 2200 mm | 6 pieces/pack = 2.402 m², 40 packs/pallet = 96.080 m²
Suitable for underfloor heating. **R_f** = 0.101 m²K/W

WOODflor 182 | OAK | Rustikal | Natura
NOVOLOC® 5G

WOODflor 3-LAYER PARQUET NOVOLOC® 5G

Surface finish:

SEDA or TENSEO

Approx. 3.6 mm wear layer from

selected solid wood

Core layer of quarter-sawn

European softwood –
with small gap
between elements

2 mm spruce bottom
veneer sanded

Plywood inserts at both ends
(water-resistant) with integrated locking tongue

Ends with hydrophobic impregnation

WOODflor



28



WOODflor 222 | EICHE | Country | Akzent
NOVOLOC® 5G



OVERVIEW.

NOVOLOC® 5G –
the proven installation
system for
WOODflor.

Due to its construction, the 3-layer / multilayer parquet **WOODflor** NOVOLOC® 5G has a high warp resistance and therefore can be installed on an appropriate underlay as well as glued down on a screed or wooden composite subfloor. With the reliable NOVOLOC® 5G interlocking system planks are simply locked together, aligning themselves automatically click by click.



RELOC –
element for
WOODflor
NOVOLOC® 5G.

RELOC for **WOODflor** NOVOLOC® 5G - is a specially designed model to change the direction of installation. By using RELOC you can comfortably change the direction of installation on fully glued down parquet floors, which in turn enables an easy installation throughout several rooms without any transition gaps and therefore significantly improves your productivity. Available on special order for all articles of **WOODflor** NOVOLOC® 5G.

PRODUCT HIGHLIGHTS

- + NOVOLOC® 5G interlocking system
- + 3.6 mm solid wear layer
- + Front edge impregnated
- + Suitable for underfloor heating
- + Glue-down installation
- + Floating installation
- + **1-strip**
14 x 140 x 2200
- + **1-strip**
14 x 182 x 2200
- + **1-strip**
14 x 222 x 2200
- + **3-strip**
14 x 182 x 2200

WOODflor 222 1-strip



OAK Natur Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta	•		•



OAK Natur Perla

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		



OAK Natur Bianca

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta	•		



OAK Natur Silva

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		



OAK Knotty Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta	•		•



OAK Knotty Perla

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		



OAK Knotty Bianca

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		



OAK Knotty Akzent

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		



OAK Country Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta	•		•

WOODflor 222 1-strip



OAK Country Perla

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		




OAK Country Bianca

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		



OAK Country Akzent

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		



OAK smoked Natur Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		



OAK Steamed Coupal Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		



BLACK WALNUT Natur Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			



WOODflor 222 | OAK | Knotty | Akzent
NOVOLOC® 5G

WOODflor 182 1-strip



OAK Select Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta	•		
Valsega			
Toscana			



OAK Natur Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	•
4-sided bevel	•		
Valletta	•		•
Valsega	•		
Toscana			



OAK Natur Perla

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		•
4-sided bevel			
Valletta	•		•
Valsega			
Toscana			



OAK Natur Bianca

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		•
4-sided bevel			
Valletta	•		•
Valsega	•		
Toscana			



OAK Natur Silva

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		•
4-sided bevel			
Valletta	•		
Valsega			
Toscana			



OAK Knotty Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	•
4-sided bevel	•		
Valletta	•		•
Valsega	•		
Toscana			



OAK Knotty Perla

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta	•		•
Valsega			
Toscana			



OAK Knotty Bianca

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta	•		•
Valsega	•		
Toscana			



OAK Knotty Silva

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		
Valsega			
Toscana			

WOODflor 182 1-strip



OAK Knotty Akzent

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		
Valsega			
Toscana			



OAK Country Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		•
4-sided bevel	•		
Valletta	•		•
Valsega	•		
Toscana	•		



OAK Country Perla

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta	•		•
Valsega	•		
Toscana	•		



OAK Country Bianca

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta	•		•
Valsega	•		
Toscana			



OAK Country Silva

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta	•		
Valsega			
Toscana			



OAK Country Akzent

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		
Valsega			
Toscana	•		



OAK Palermo Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta	•		
Valsega	•		
Toscana			



OAK Palermo Perla

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		
Valsega			
Toscana			



OAK Rustikal Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta	•		
Valsega			
Toscana			

WOODflor 182 1-strip



OAK Rustikal Perla

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			
Valsega			
Toscana			



OAK Rustikal Bianca

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta	•		
Valsega			
Toscana			



OAK Smoked Natur Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta	•		
Valsega			
Toscana			



OAK Smoked Natur Perla

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta	•		
Valsega			
Toscana			



OAK Smoked Effect Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		
Valsega			
Toscana			



OAK Smoked Medium Natur Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta	•		
Valsega			
Toscana			



OAK Smoked Medium Natur Perla

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta	•		
Valsega			
Toscana			



OAK Smoked Medium Rustikal Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta	•		
Valsega			
Toscana			



OAK Smoked Medium Rustikal Perla

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta	•		
Valsega			
Toscana			

WOODflor 182 1-strip



OAK Steamed Coupal Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		
Valsega			
Toscana	•		



OLD OAK Country Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		
Valsega			
Toscana			



OLD OAK Country Jura

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		
Valsega			
Toscana			



BLACK WALNUT Natur Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	•
4-sided bevel			
Valletta			
Valsega			
Toscana			



BLACK WALNUT Natur Perla

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta			
Valsega			
Toscana			



BLACK WALNUT Natur Silva

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta			
Valsega			
Toscana			




BLACK WALNUT Country Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			
Valsega			
Toscana			



BLACK WALNUT Effect Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			
Valsega			
Toscana			



HARD MAPLE Natur Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			
Valsega			
Toscana			

WOODflor 182 1-strip



HARD MAPLE Rustikal Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			
Valsega			
Toscana			



ASH Natur Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta	•		
Valsega			
Toscana			



ASH Natur Perla

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta	•		
Valsega			
Toscana			



ASH Natur Silva

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta	•		
Valsega			
Toscana			



ASH Heartwood Natur Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta	•		
Valsega			
Toscana			



ASH Heartwood Natur Perla

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		
Valsega			
Toscana			



ASH Heartwood Natur Silva

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		
Valsega			
Toscana			



BEECH Steamed Natur Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			
Valsega			
Toscana			



BEECH Steamed Rustikal Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			
Valsega			
Toscana			

WOODflor 182 1-strip



BLACK CHERRY Natur Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			
Valsega			
Toscana			



BLACK CHERRY Rustikal Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			
Valsega			
Toscana			



IROKO (KAMBALA)

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			
Valsega			
Toscana			



MERBAU

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			
Valsega			
Toscana			



WOODflor 182 | OAK | Country | Toscana | Natura
NOVOLOC® 5G

WOODflor 140 1-strip



OAK Natur Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	•
4-sided bevel			
Valletta	•		•



OAK Natur Perla

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta	•		•



OAK Natur Bianca

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta	•		•



OAK Country Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		•
4-sided bevel			
Valletta	•		•



OAK Country Perla

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta	•		•



OAK Country Bianca

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta	•		•



OAK Natur Silva

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		



OAK Knotty Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	•
4-sided bevel			
Valletta	•		•



OAK Knotty Perla

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		•



OAK Country Silva

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		



OAK Country Akzent

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		



OAK Steamed Coupal Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		



OAK Knotty Bianca

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		•



OAK Knotty Silva

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		



OAK Knotty Akzent

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		



OAK Smoked Natur Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta	•		



OAK Smoked Natur Perla

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta	•		



OAK Smoked Medium Natur Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta	•		

WOODflor 140 1-strip



OAK Smoked Medium Natur Perla

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		



OLD OAK Country Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		



OLD OAK Country Jura

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		



BLACK WALNUT Natur Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	•
4-sided bevel			
Valletta			



WOODflor 182 3-strip



OAK Select Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded		•	
4-sided bevel			
Valletta			



OAK Natur Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	•
4-sided bevel			
Valletta			



OAK Natur Perla

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta			



OAK Natur Bianca

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta			



OAK Natur Silva

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta			



OAK Classic Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	•
4-sided bevel			
Valletta			



OAK Classic Perla

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	•
4-sided bevel			
Valletta			



OAK Classic Bianca

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	•
4-sided bevel			
Valletta			



OAK Knotty Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	•
4-sided bevel			
Valletta	•		•

WOODflor 182 3-strip



OAK Knotty Perla

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta			



OAK Knotty Bianca

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta	•		•



OAK Country Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	•
4-sided bevel			
Valletta	•		•



OAK Country Perla

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		•
4-sided bevel			
Valletta			



OAK Country Bianca

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		•
4-sided bevel			
Valletta	•		•



OAK Smoked Natur Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			



OAK Smoked Struktur Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			



OAK Smoked Medium Natur Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			



OAK Smoked Medium Struktur Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			

WOODflor 182 3-strip



BLACK WALNUT Natur Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			



BLACK WALNUT Effect Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			



BLACK WALNUT Struktur Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			



BEECH Steamed Natur Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	•
4-sided bevel			
Valletta			



BEECH Steamed Struktur Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			



CHERRY European Steamed Natur Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			



HARD MAPLE Natur Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	•
4-sided bevel			
Valletta			



HARD MAPLE Struktur Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			



ASH Select Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded		•	
4-sided bevel			
Valletta			



CHERRY European Steamed Struktur Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			



IROKO (KAMBALA)

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			



MERBAU

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			



ASH Natur Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			



ASH Classic Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded		•	
4-sided bevel			
Valletta			



ASH Struktur Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			



RED OAK Natur Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	•
4-sided bevel			
Valletta			



RED OAK Struktur Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			



MORE VARIATION. MORE STYLES.

MULTIflor
NOVO**LOC**® 5G

STRONG TYPES.

Decisions abound in the spectrum. Lively selection. Reassuring variety. Fine 1-strips. 3-strip classics. Chevron flooring. Typical for every type. Typical for Scheucher.



MULTIflor **NOVOLOC**® 5G 2400 | 9.8 x 222 x 2400 mm | 6 pieces/pack = 3.197 m², 40 packs/pallet = 127.880 m²
Suitable for underfloor heating. **R_f** = 0.058 m²K/W




MULTIflor **NOVOLOC**® 5G 2200 | 9.8 x 182 x 2200 mm | 6 pieces/pack = 2.403 m², 50 packs/pallet = 120.150 m²
Suitable for underfloor heating. **R_f** = 0.058 m²K/W




MULTIflor **NOVOLOC**® 5G 1800 | 9.8 x 140 x 1800 mm | 10 pieces/pack = 2.520 m², 49 packs/pallet = 123.480 m²
Suitable for underfloor heating. **R_f** = 0.058 m²K/W




MULTIflor **NOVOLOC**® 5G 1200 | 9.8 x 140 x 1200 mm
10 pieces/pack = 1.680 m², 49 packs/pallet = 82.320 m²
Suitable for underfloor heating. **R_f** = 0.058 m²K/W



MULTIflor **NOVOLOC**® 5G 2200 3-strip | 9.8 x 182 x 2200 mm
6 pieces/pack = 2.403 m², 50 packs/pallet = 120.150 m²
Suitable for underfloor heating. **R_f** = 0.058 m²K/W




MULTIflor **500 60°** CHEVRON FLOORING
9.8 x 140 x 500 mm | 60° A-strips and B-strips separately
14 strips/pack = 0.980 m², 98 packs/pallet=96.040 m²
A-strips and B-strips separately. **R_f** = 0.058 m²K/W



MULTIflor **740 45°** CHEVRON FLOORING
9.8 x 140 x 740 mm | 45° A-strips and B-strips separately
14 strips/pack = 1.450 m², 42 packs/pallet=60.917 m²
A-strips and B-strips separately. **R_f** = 0.058 m²K/W

Products of ELEVATION **MULTI**flor **NOVOLOC**® 5G 1200, 1800, as well as 500 60° and 740 45° are manufactured in a calm and natural grading.



MULTIflor **2200** | OAK STEAMED | Coupal | Natura
NOVOLOC® 5G

MULTIflor 2-LAYER PARQUET NOVOLOC® 5G

Surface finish:

SEDA or TENSEO

Approx. 3.6 mm wear layer

from selected solid wood, can be renovated several times

Approx. 6.2 mm base layer:

Plywood birch, 5-ply
water resistant glue

Total thickness 9.8 mm

Low installation height for an excellent
junction to other floor types

Ideally suited for underfloor heating,
thermal insulation resistance 0.058 m²K/W

Glue-down installation

Ends with hydrophobic
impregnation, prevents humidity and
reduces creaking of wood



MULTIflor 1800 | OAK | Knotty | Akzent
NOVOLOC® 5G

MULTIflor



50



NOVOLOC®

Easy, reliable, rapid & clean
– 5G interlocking system
on the front side

OVERVIEW.

Colourful variation inspires the imagination.
Intelligent technology allows more scope for new ideas.
Installation newly interpreted. Selection newly defined.

MULTIflor NOVOLOC® 5G is a new, diverse range of 2-layer parquet creations, which, alongside single planks and three-strip parquet, includes the world exclusive „Chevron flooring“, which now can be installed using NOVOLOC® 5G interlocking system. The true innovative power of MULTIflor lies, however, in its „subsurface“: thanks to its completely unique structure, an unprecedentedly low construction height can be achieved without having to compromise on the wear layer.



NOVOLOC®

PRODUCT HIGHLIGHTS

- + NOVOLOC® 5G interlocking system
- + **WORLD NOVELTY** Chevron flooring in NOVOLOC® 5G click system
- + 3.6 mm solid wear layer
- + Front edge impregnated
- + Only 9.8 mm installation height
- + Chevron flooring 45° and 60°
- + Laying pattern variants
- + Perfect for underfloor heating
- + Special theme **Chevron flooring** 740 45° and 500 with 60° 2-layer parquet
- + 5 different dimensions **floor board length** 1200 / 1800 / 2200 / 2400 / 2200 3-strip



MULTIfloor 740 45° | OAK | Country | Perla
NOVOLOC® 5G

MULTIfloor 740 45°

see
ELEVATION
from page
18



OAK Natur Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		•
4-sided bevel			
Valletta	•		



OAK Natur Perla

	Seda	Tenseo Classico	Tenseo Matt
sanded			•
4-sided bevel			
Valletta	•		



OAK Natur Bianca

	Seda	Tenseo Classico	Tenseo Matt
sanded			•
4-sided bevel			
Valletta	•		



OAK Country Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta	•		



OAK Country Perla

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta	•		




OAK Country Bianca

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta	•		



OAK Smoked Natur Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta	•		



OAK Smoked Natur Perla

	Seda	Tenseo Classico	Tenseo Matt
sanded			•
4-sided bevel			
Valletta	•		



BLACK WALNUT Natur Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		•
4-sided bevel			
Valletta			



52


LAYING PATTERN.

Emotions are visualised in lively patterns. Patterns make life colourful and substantial. They are linear and at the same time playful. Dignified and progressive. Unusual and well known. Don't be laid low.




CHEVRON FLOORING

MULTIfloor NOVOLOC® 5G 500 | 60°




CHEVRON FLOORING

MULTIfloor NOVOLOC® 5G 740 | 45°



HERRINGBONE HORIZONTALLY INSTALLED

MULTIfloor NOVOLOC® 5G 740 | 45°, 500 | 60°



BRICK PATTERN only A-strips and B-strips

MULTIfloor NOVOLOC® 5G 740 | 45°, 500 | 60°



PARALELL PATTERN only A-strips and B-strips

MULTIfloor NOVOLOC® 5G 740 | 45°, 500 | 60°

MULTIfloor 740 45°



53

MULTIflor 500 60°



OAK Natur Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		•
4-sided bevel			
Valletta	•		



OAK Natur Bianca

	Seda	Tenseo Classico	Tenseo Matt
sanded			•
4-sided bevel			
Valletta	•		



OAK Smoked Natur Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta	•		



BLACK WALNUT Natur Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		•
4-sided bevel			
Valletta			





OAK Natur Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		•
4-sided bevel			
Valletta	•		
Toscana			



OAK Natur Perla

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		
Toscana			



OAK Natur Bianca

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		
Toscana			



OAK Country Bianca

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		
Toscana			



OAK Knotty Akzent

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		
Toscana	•		



OAK Knotty Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		•
4-sided bevel			
Valletta	•		
Toscana			



OAK Knotty Perla

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		
Toscana			



OAK Knotty Bianca

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		
Toscana			



OAK Knotty Akzent

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		
Toscana			



OAK Country Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		•
4-sided bevel			
Valletta	•		
Toscana	•		



OAK Country Perla

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		
Toscana	•		





OAK Natur Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	•
4-sided bevel	•		
Valletta	•		



OAK Natur Perla

	Seda	Tenseo Classico	Tenseo Matt
sanded			•
4-sided bevel			
Valletta	•		



OAK Natur Bianca

	Seda	Tenseo Classico	Tenseo Matt
sanded			•
4-sided bevel			
Valletta	•		



OAK Country Perla

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta	•		



OAK Country Bianca

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta	•		



OAK Country Akzent

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		



OAK Natur Akzent

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		



OAK Knotty Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta	•		



OAK Knotty Perla

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		



OAK Steamed Coupal Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		



OAK Smoked Natur Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta	•		



OAK Smoked Natur Perla

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		



OAK Knotty Bianca

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		



OAK Knotty Akzent

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		



OAK Country Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel	•		
Valletta	•		



BLACK WALNUR Natur Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta			



ASH Natur Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta			



ASH Heartwood Natur Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta			

MULTIfloor 1800 1-strip

MULTIfloor 1800 1-strip

see
ELEVATION
from page
18



OAK Natur Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		•
4-sided bevel			
Valletta	•		



OAK Natur Perla

	Seda	Tenseo Classico	Tenseo Matt
sanded			•
4-sided bevel			
Valletta	•		



OAK Natur Bianca

	Seda	Tenseo Classico	Tenseo Matt
sanded			•
4-sided bevel			
Valletta	•		



OAK Country Bianca

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta	•		



OAK Country Akzent

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		



OAK Steamed Coupal Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		

MULTIfloor 1800 1-strip



60



OAK Knotty Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta	•		




OAK Knotty Perla

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta	•		



OAK Knotty Bianca

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta	•		



OAK Smoked Natur Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta	•		



OAK Smoked Natur Perla

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		



BLACK WALNUR Natur Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		•
4-sided bevel			
Valletta			

MULTIfloor 1800 1-strip



61



OAK Knotty Akzent

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		



OAK Country Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta	•		



OAK Country Perla

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta	•		



MULTIfloor 2400, 2200, 1800 | OAK | Natur | Perla
NOVOLOC® 5G



OAK Natur Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		•
4-sided bevel			
Valletta	•		



OAK Natur Bianca

	Seda	Tenseo Classico	Tenseo Matt
sanded			•
4-sided bevel			
Valletta	•		



OAK Knotty Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta	•		



OAK Country Akzent

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		



OAK Steamed Coupal Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		



OAK Smoked Natur Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta	•		



OAK Knotty Perla

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta	•		



OAK Knotty Bianca

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta	•		



OAK Knotty Akzent

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		



BLACK WALNUT Natur Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		•
4-sided bevel			
Valletta			



OAK Country Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta	•		



OAK Country Perla

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		



OAK Country Bianca

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta	•		



MULTIflor 2200 3-strip

MULTIflor 2200 3-strip



OAK Natur Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			




OAK Natur Bianca

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta			



OAK Classic Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			



BEECH Steamed Natur Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded		•	
4-sided bevel			
Valletta			



OAK Classic Perla

	Seda	Tenseo Classico	Tenseo Matt
sanded			•
4-sided bevel			
Valletta			



OAK Knotty Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		•



OAK Knotty Bianca

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		•



OAK Country Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta	•		•



OAK Country Bianca

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		•
4-sided bevel			
Valletta	•		•



ASH Natur Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			



MULTIflor 2200 3-strip | OAK | Country | Bianca
NOVOLOC® 5G



MORE CLASSICS. MORE FLAIR.

MULTIflor
TONGUE + GROOVE

MULTIfloor 2-LAYER-PARQUET TONGUE + GROOVE





MULTIfloor 700 TONGUE+ GROOVE | 9.8 x 140 x 700 mm
14 pieces/pack = 1.372 m², 42 packs/pallet = 57.624 m²
Suitable for underfloor heating. **R_f = 0,058 m²K/W**

Surface finish:
SEDA or TENSEO

Approx. 3.6 mm wear layer
from selected solid wood

Ends
with hydrophobic impregnation



PRODUCT HIGHLIGHTS

- + New dimension and installation patterns, such as large-size herringbone and mosaic parquet
- + Approx. 3.6 mm wear layer
- + Total thickness 9.8 mm:
Low installation height for an excellent junction to other floor types
- + Ideally suited for underfloor heating

New dimension.
Countless possibilities.
Fast and easy to lay.

With **MULTIfloor Tongue** and **Groove** you can give now an even more individual touch to your living space: The **2-layer parquet** convinces with its classic, timeless patterns as well as its low construction height and is moreover ideally suited for underfloor heating.

EDGING FRIEZES **MULTIfloor NOVOLOC® 5G 2200** see page 58
MULTIfloor GROOVE CUTTER see page 94

LAYING PATTERN.

INSTALLATION PATTERN:
CUBE



INSTALLATION PATTERN:
HERRINGBONE



INSTALLATION PATTERN:
PARALLEL



INSTALLATION PATTERN:
LADDER



MULTIflor 700 T + G



OAK Natur Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		•
4-sided bevel			
Valletta	•		



OAK Natur Perla

	Seda	Tenseo Classico	Tenseo Matt
sanded			•
4-sided bevel			
Valletta			



OAK Natur Bianca

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		



OAK Natur Akzent

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		



OAK Smoked Natur Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta			



BLACK WALNUT Natur Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta			



MULTIflor 700 T + G



OAK Natur Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		•
4-sided bevel			
Valletta	•		



OAK Natur Perla

	Seda	Tenseo Classico	Tenseo Matt
sanded			•
4-sided bevel			
Valletta			



OAK Natur Bianca

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		



OAK Natur Akzent

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		



OAK Smoked Natur Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta			



BLACK WALNUT Natur Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta			





LESS IS
MORE FLO_R.

BILAflor®

BILAFloor® 2-LAYER PARQUET

Surface finish:


SEDA or TENSEO

Approx. 3.6 mm wear layer

from selected solid wood

Base layer of quarter-sawn spruce,

incisions at regular intervals



High-quality glue down

installation on screed and on wooden composite subfloor

Ideally suited for underfloor heating

thermal insulation resistance:

$R_T = 0,078 \text{ m}^2\text{K/W}$

A finished surface refinement

avoids pulling down joints

Plywood inserts

at both ends (water-resistant)



BILAFloor® 1000 | ASH | Natur | Natura

BILAFloor®




76

PRODUCT HIGHLIGHTS

- + Glue down installation
- + 3.6 mm solid wear layer
- + impregnated front edge
- + perfect for underfloor heating

- + **1-strip**
11 x 90 x 1000
11 x 70 x 500
13 x 70 x 500

- + **2-strip**
11 x 120 x 1200



Glue down
installation

OVERVIEW.

Parquet that brings your house to life. Different lengths and variations make the range a favourite when it comes to stylish design.

The high-quality 2-layer parquet **BILAFloor®** combines all advantages of glue-down parquet with those of engineered parquet. The bottom layer made of rift-grained spruce and plywood bands on the front edges ensure a stable connection construction.

LAYING. PATTERN.




CHEVRON FLOORING*
BILAflor® 500 | 1000




DOUBLE CHEVRON FLOORING*
BILAflor® 500 | 1000



TRIPLE CHEVRON FLOORING*
BILAflor® 500 | 1000



IRREGULAR PATTERN
for all **BILA**flor® products



BRICK PATTERN
for all **BILA**flor® products

*all **BILA**flor® products can be mixed

STRONG TYPES.



BILAflor® 1200 2-strip | 11 x 120 x 1200 mm | 12 pieces/pack = 1.728 m², 63 packs/pallet = 108.860 m²
Suitable for underfloor heating. **R_f** = 0.078 m²K/W, left and right strips are available on request (chevron flooring).

BILAflor® 28 1200 2-strip | 9,5 x 120 x 1200 mm | 14 pieces/pack = 2.016 m², 45 packs/pallet = 90.720 m²
Suitable for underfloor heating. **R_f** = 0.078 m²K/W



BILAflor® 1000 1-strip | 11 x 90 x 1000 mm | 24 pieces/pack = 2.160 m², 42 packs/pallet = 90.720 m²
Suitable for underfloor heating. **R_f** = 0.078 m²K/W, left and right strips are available on request (chevron flooring).



BILAflor® 500 – **BILA**flor® 500 5.5 – **BILA**flor® 500 TOPline wide lamella
Mixed package with left and right strips (chevron flooring).

BILAflor® 500 5.5 | 13 x 70 x 500 mm | 40 pieces/pack = 1.400 m², 49 packs/pallet = 68.600 m²
Suitable for underfloor heating. **R_f** = 0.087 m²K/W

BILAflor® 500 | 11 x 70 x 500 mm | 48 pieces/pack = 1.680 m², 49 packs/pallet = 82.320 m²
Suitable for underfloor heating. **R_f** = 0.078 m²K/W





OAK Natur Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	•
4-sided bevel			
Valletta			



OAK Natur Perla

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		•
4-sided bevel			
Valletta			



OAK Natur Bianca

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		•
4-sided bevel			
Valletta			



OAK Smoked Medium Natur Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			



BLACK WALNUT Natur Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	•
4-sided bevel			
Valletta			



BLACK WALNUT Struktur Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			



OAK Knotty Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			



OAK Knotty Perla

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta			



OAK Knotty Bianca

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta			



ASH Natur Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			



ASH Heartwood Natur Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			



OAK Knotty Silva

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			



OAK Rustikal Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			



OAK Smoked Natur Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	•
4-sided bevel			
Valletta			





OAK Select Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded		•	•
4-sided bevel			
Valletta			



OAK Natur Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	•
4-sided bevel			
Valletta			



OAK Natur Natura 5.5

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			



OAK Classic Bianca

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	•
4-sided bevel			
Valletta			



OAK Classic Silva

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta			



OAK Knotty Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	•
4-sided bevel			
Valletta			



OAK Natur Perla

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			



OAK Natur Bianca

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	•
4-sided bevel			
Valletta			



OAK Natur Silva

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	•
4-sided bevel			
Valletta			



OAK Knotty Perla

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			



OAK Knotty Bianca

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			



OAK Country Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	•
4-sided bevel			
Valletta			



OAK Classic Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	•
4-sided bevel			
Valletta			



OAK Classic Natura 5.5

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			



OAK Classic Perla

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	•
4-sided bevel			
Valletta			



OAK Country Perla

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			



OAK Country Bianca

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		•
4-sided bevel			
Valletta			



OAK Struktur Natura 5.5

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			



OAK TOpline BL Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			

OAK Smoked Natur Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	•
4-sided bevel			
Valletta			

OAK Smoked Medium Natur Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	•
4-sided bevel			
Valletta			



ASH Struktur Natura


	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			

BEECH Steamed Natur Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	•
4-sided bevel			
Valletta			

BEECH Steamed Struktur Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			



BLACK WALNUT Natur Natura


	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	•
4-sided bevel			
Valletta			

BLACK WALNUT Struktur Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			

HARD MAPLE Natur Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			



CHERRY European Steamed Natur Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			

CHERRY European Steamed Struktur Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			

IROKO (KAMBALA)

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			



HARD MAPLE Struktur Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			

ASH Natur Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			

ASH Classic Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			



MERBAU

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			

BILAFloor® 1200 2-strip

BILAFloor® 28.1200 2-strip



OAK Natur Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	•
4-sided bevel			
Valletta			

OAK Classic Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	•
4-sided bevel			
Valletta			

OAK Classic Perla

	Seda	Tenseo Classico	Tenseo Matt
sanded			•
4-sided bevel			
Valletta			



OAK Classic Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded			•
4-sided bevel			
Valletta			

OAK Country Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded			•
4-sided bevel			
Valletta			



OAK Classic Bianca

	Seda	Tenseo Classico	Tenseo Matt
sanded			•
4-sided bevel			
Valletta			

OAK Country Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	•
4-sided bevel			
Valletta			

OAK Country Bianca

	Seda	Tenseo Classico	Tenseo Matt
sanded			•
4-sided bevel			
Valletta			



BILAFloor® 1000 | HARD MAPLE | Natur | Natura

SPORTS HALL FLOORS.



SPORTS HALL FLOOR Easyfit



- Only 3 different elements guarantee a fast and easy installation
- Excellent results at the tests of the Austrian Institute for Sports Technologies: EN 14904 : 2006 and DIN 18032-2, a standard with one of the highest requirements in Europe
- 3-layer **WOOD**flor 182 3-Strip **NOVOLOC**® or 2-Strip **BILA**flor® 1200 with 7-layer sealing **TENSEO** Classico
- Construction for excellent sound behavior
- Very low construction height – ideal for retrofit installation
- Very good sliding behavior without any additional surface treatment on-site
- Robust, environmentally friendly and easy to maintain

- Fast and simple installation due to low number of different parts and a high degree of pre-fabrication
- Excellent results according to the Austrian Institute for Sports Technologies (OFI): EN 14904 : 2006 and ÖISS ÖNORM B 2608 04/2006: a standard with the highest requirements in Europe
- Robust and durable, environmentally friendly and easy to maintain
- 2-Strip **BILA**flor® 500 - 5.5 with 5.5 mm top layer and 7-layer sealing
- Variable height of construction
- Extremely solid construction due to very short distances between supports
- Very good sliding behavior without additional surface treatment on site

SPORTS HALL FLOOR Olympic



INITIAL TREATMENT

Initial care treatment has to be carried out by a professional with Scheucher care wax oil. Contact your installer - we are sure he will be pleased to assist you in this. To keep your Scheucher Parkett® wood floor at its best, we suggest an initial care treatment with care wax oil after installation of the floor. Products of our **BILAFlo®** and **MULTIFlo®** Chevron flooring require an initial care treatment.



1l Parquet Care,
1l Parquet Cleaner,
Mop cover,
Care instructions



A specially developed range of cleaning and care products enhances the natural hues of my wooden floor. These care products protect and preserve the beautiful sheen and individual character of the wood.

CARE

To keep your Scheucher Parkett® wood floor at its best we recommend using Scheucher Parkett Care after 15-20 wet cleaning cycles. You don't have to keep count of that because the bottle's capacity lasts for 17 fillings of the reservoir.



CARE INSTRUCTIONS SEDA

- + Cordless design
- + Minimal water requirement
- + Simple cleaning and care
- + With built-in lighting



CAREboy

Multifunctional, cordless waxer and cleaner for comfortable and efficient cleaning and care of your oiled/waxed flooring.


TIP

To preserve the beautiful look of your parquet floor and protect its surface please avoid mechanical damages wherever possible. To avoid scratches and serious damages it is recommended to place mats in the entrance area and remove sand and grit with a broom immediately. Equip your movable furniture with felt gliders and use special rolls for wooden floors on office chairs. Do not leave any wet items on your parquet floor. To assess results properly, try out care and/or cleaning procedures in an inconspicuous place before applying the product.

CLEANING

It is usually sufficient to clean your floor using a vacuum cleaner or a soft broom. Damp cleaning with Scheucher Parquet Cleaner can be carried out if required.

If you require more detailed information, please refer to the Scheucher care instructions.



CARE INSTRUCTIONS FOR PROFESSIONALS SEDA



INITIAL TREATMENT

To keep your Scheucher Parkett® wood floor at its best, we suggest an initial care treatment with care wax oil after installation of the floor. Products of our **BILAFloor®** and **MULTIFlor** Chevron flooring range require an initial care treatment. This is the only way to make sure that the edges and joints of your floor are protected against the penetration of humidity and dirt. Especially moisture-sensitive wood species like Beech and Maple require this treatment.



CLEANING

It is usually sufficient to clean your floor using a vacuum cleaner or a soft broom. Damp cleaning with parquet floor soap can be carried out if required.



INTENSIVE CLEANING

In case your Scheucher Parkett® wood floor is extremely dirty we suggest to clean it with our intensive-cleaner.



CARE INSTRUCTIONS TENSEO



INITIAL TREATMENT & REFRESHING

Keeping your Scheucher Parkett® wood floor at its best, we suggest an initial treatment after the floor has been laid. This way you can make sure that the edges and joints of your floor are protected against the penetration of humidity and dirt. Especially moisture-sensitive wood species like Beech and Maple ask for this treatment. Products of our **BILAFloor®** and **Multiflor** Chevron flooring require an initial care treatment. Use Bona Refresher for the initial treatment for Tenseo Classico, for Tenseo Matt you should use Bona Polish Matt and for Tenseo glossy Bona Polish Gloss.



CARE & MAINTENANCE

It is usually sufficient to clean your floor using a vacuum cleaner or a soft broom. Light soiling can be comfortably removed with Bona Spray Mop.

BONA SPRAY MOP

The Bona Spray Mop enables you to clean and maintain your wooden floor in a sweep. Ergonomic and simple to use, the Spray Mop is quick to assemble and refill with the specially developed Bona floor cleaner cartridge. Forget filling up a bucket and adding concentrate - just spray and clean! No polishing required.



BONA CLEANER

is a concentrated cleaning agent. Use 50 ml (5 capfuls) of the concentrate with 10 liters of water. For particularly dirty floors you can use 100 ml of the concentrate with 10 liters of water. In case large areas have to be cleaned, Bona Cleaner can also be used for cleaning machines. Be careful and do not use too much water since this could result in damaging your parquet floor.



BASIC CLEANING

Fernox removes wax and polish residues as well as heavy soiling and footmarks made with rubber heels.



INSTALLATION ACCESSORIES & MEASURING INSTRUMENTS



Fidbox can be integrated in the Scheucher parquet floor and measures the temperature and moisture. Fixbox App is available for Apple iOS and Android.




With Fidbox V6 Reader you can read and analyze the saved data anytime by radio system.



MULTIflor groove cutter



MULTIflor installation aid




5G unlocking spring for
WOODflor and
MULTIflor

ACCESSORIES

SKIRTINGS


For the full effect, every parquet floor needs a clean connection to the walls or similar structures. For this purpose, Scheucher stocks a wide, perfectly-fitting range of skirting boards that can be harmoniously tailored to the parquet installed.



STAIR NOSINGS

ALL
WOOD TYPES

Stair nosings are available in L- or U-shape for all our products.



L-shape **NOVOLOC***

U-shape **NOVOLOC***

*also available for **MULTIflor** and **BILAflor**



STAIRbox stair treads



The professional system for a greater added value. Measure stairs simply digitally. Without stencils. Simple data transfer from job site directly to Scheucher.

STAIR BOX.

STAIRbox is a system, that simply enables the digital measurement of stairs and staircases as well as – in addition – the direct purchase of parquet elements ready for assembly from Scheucher (data transfer ex site) . This is how the service spectrum of every foorer experiences a great expansion and customers get their floor and stairs from professional hands.

STAIR TREADS

STAIRbox makes it possible to create all types of stair treads quickly and easily – irrespective of the basic form or configuration – with the same appearance as the parquet.

FASCIA BOARDS

What is more, fascia boards that are identical to the installed parquet and blend harmoniously into the overall view are no longer a problem, thanks to **STAIRbox**.

ALL
WOOD TYPES

ALL
WOOD TYPES

WHITE
FINISHING
COAT


WHITE-PAINTED
MDF



ROOM CLIMATE

This „feel comfortable“ chart for indoor room climate demonstrates the combination of relative humidity and room temperature where the overwhelming majority feels comfortable in indoor rooms.

Room climate



- Optimum range
- Temporarily acceptable range
- Inappropriate indoor climate for humans and wood

EN 15251:2012 „Input parameters for indoor climate“ recommends a seasonally caused relative humidity of approx. 30 % to 65 % for a healthy room climate. In this range, natural characteristics of wood like gaps, minor cracks or warpage of your parquet floor may occur in a moderate degree. In case of long-term deviations, health impairments or excessive changes in the appearance of your hardwood floor, like big deformations, big gaps and cracks may occur. Wood as a natural material reacts more sensitively to changes of the relative humidity than to changes of temperature.

Therefore the key to success lies in the observance of an optimum relative humidity of your indoor air! This generally requires periodic cleaning and maintenance of your parquet floor as well as an appropriate air humidification in the heating season. We therefore recommend cold humidifiers with an integrated sterilization system. The installation of Fidbox records your climate above and under your parquet floor over many years and can be conveniently monitored by mobile app. Paying attention to these important factors will guarantee pleasure over decades with your high-quality parquet floor from Scheucher.



Imprint

© 2019; Scheucher Holzindustrie GmbH; Publisher: Scheucher Holzindustrie GmbH; Idea, concept and creative design: Scheucher Holzindustrie GmbH
 Print: kb-offset Kroiss & Bichler GmbH & CoKG; Image sources: Archiv Scheucher Holzindustrie GmbH, Gruber + Schlager GmbH. Copying or saving this magazine, or parts thereof, is not permitted without written consent. Existing rights have been clarified to the best of our knowledge; where claims to rights exist, we ask that the holder of the rights contacts us. No responsibility is assumed for the consequences of use or misuse of the information contained herein. Printing and typesetting errors reserved.



Parquet from Scheucher is QUALITY

Highest precision in production guarantees the unique quality of every single parquet from Scheucher. True to the principles of Scheucher Holzindustrie GmbH, every single stage of the manufacturing process is geared towards using our natural resources in the most sustainable ways and applying the highest standards of environmental protection. These principles enable the family-run company with a long tradition to create an excellent product of highest quality.



Scheucher supports sustainable construction via Environmental Product Declarations (EPDs). Our EPD is based on international standards (ISO 14025, ISO 14040ff) as well as the European DIN EN 15804, which provides the basis for EPD's throughout Europe. It is listed for the sustainability assessment of buildings at IBU - Institut Bauen und Umwelt e.V. Furthermore we meet the high demands of the American LEED v4 program. LEED (Leadership in Energy and Environmental Design) is globally recognized and the most widely used green building rating system in the world.



Environmental Product Declarations give the appropriate data basis to represent environmental attributes of a product for its whole lifecycle and include general product-, life cycle assessment- and additional information. Moreover, they are compiled on a basis of criteria, which among others are developed by independent third parties and which are additionally verified independently.



RealWood is the official seal of the European Parquet Association confirming the parquet is made from real wood and is no artificial replication.



CE-label confirms compliancy with European Standards and is obligatory when selling this product.



Scheucher Parquet floors fulfill the award criteria V1.0 of TÜV PROFICERT-product Interior Certification.



MULTIflor 2200 | OAK | Natur | Natura
NOVOLOC® 5G

RANGE GUIDE.

Discover the rich facets of parquet. Different specifications allow the creation of new optics and haptics. Live more colourfully. Live more individually.

SELECT. Haven of peace. Uniform and subtle in terms of colour and growth, this sort is a convincing choice. Small knot points are possible and enliven the overall look.

NATUR. CLASSIC. Pure nature. A natural growth in combination with natural colour variations and small, visible knots.

KNOTTY. Joie de vivre. Splinter free, natural, and thanks to the many visible knots, this sort ensures tangible joie de vivre.

COUNTRY.* RUSTIKAL. STRUKTUR. EFFECT. Powerful moments. Vibrant, lively and powerful colour nuances, as well as possible knots create a new spirited feeling in the home.

GRADES

- SELECT
- NATUR
- CLASSIC
- KNOTTY
- COUNTRY*
- RUSTIKAL
- STRUKTUR
- EFFECT

* Available in 1-strip oak, sap free

COLOURS



NATURA PERLA BIANCA SILVA JURA AKZENT

FINISH



SEDA natural matt, oiled and waxed



TENSEO CLASSICO satin glossy, sealed



TENSEO MATT natural matt, sealed

STRUCTURE



VALLETTA brushed with 4-sided bevel



VALSEGA sawn and brushed with 4-sided bevel



TOSKANA scraped



SCHEUCHER®

Scheucher Holzindustrie GmbH

Zehensdorf 100 | 8092 Mettersdorf

Showroom Vienna

Zetschegasse 9 | 1230 Vienna

info@scheucherparkett.at

www.scheucherparkett.at